PATENT COOPERATION TREATY

PCT

1 6 FEB 2006
DOT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

	licant's or agent's file reference 5-01-WO	FOR FURTHER	ACTION	See Form PCT/IPEA/416
	mational application No. T/US2005/008338	International filing date 14.03.2005	e (day/month/year)	Priority date (day/month/year) 17.03.2004
		(IPC) or national classification and	IPC	30-40-30-30-30-30-30-30-30-30-30-30-30-30-30
Cos	9D5/00, C09D5/02, C09D	191/00		ā
Appl	licant			
THI	E LUBRIZOL CORPORA	TION et al.		,
1.	This report is the internat Authority under Article 35	ional preliminary examination and transmitted to the applica	report, established ant according to Art	by this International Preliminary Examining icle 36.
2.	This REPORT consists o	f a total of 8 sheets, including	this cover sheet.	2
3.	This report is also accom	panied by ANNEXES, compris	sing:	
	a. $oxtimes$ sent to the applica	ant and to the International Bu	reau) a total of 5 s	heets, as follows:
	and/or sheets	description, claims and/or drav containing rectifications autho Instructions).	wings which have be prized by this Autho	een amended and are the basis of this report rity (see Rule 70.16 and Section 607 of the
	☐ sheets which	supersede earlier sheets, but sclosure in the international a	which this Authority oplication as filed, a	considers contain an amendment that goes is indicated in item 4 of Box No. I and the
	• •		(indicate type and r	number of electronic carrier(s)) , containing a
	seguence listing a	and/or tables related thereto, in equence Listing (see Section to	computer readable	form only, as indicated in the Supplemental
	DOX Holding to O	squerior Library (000 000	702 Of 110 / tarrianet.	native monactions).
4.	This report contains indic	ations relating to the following	items:	
	☐ Box No. I Basis of	of the opinion		
	☐ Box No. II Priority			· ·
	•		gard to novelty, inve	entive step and industrial applicability
	☐ Box No. IV Lack of	unity of invention		
	☐ Box No. V Reasoned statement under Article 35(2) applicability; citations and explanations			
	☐ Box No. VI Certair	documents cited		
	☑ Box No. VII Certair	defects in the international ap	plication	
		observations on the internation	onal application	
Ĺ				
Date	e of submission of the demand		Date of completio	n of this report
14.	12.2005		15.02.2006	
Nan	ne and mailing address of the i	nternational	Authorized Office	r
preli	iminary examining authority:	#!		Justine Patentany
-	European Patent Of D-80298 Munich		Glomm, B	· 1100 ()
Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465			Telephone No. +4	10 80 2300-7158
			Telephone No. 4-	10 00 2000 1100 apple

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/US2005/008338

_	Box	No. I Basis of the report		
 With regard to the language, this report is based on the in filed, unless otherwise indicated under this item. 			s report is based on the international application in the language in which it was under this item.	
	, [which is the language of a to □ international search (und □ publication of the interna	slations from the original language into the following language , ranslation furnished for the purposes of: ler Rules 12.3 and 23.1(b)) tional application (under Rule 12.4) examination (under Rules 55.2 and/or 55.3)	
2. With regard to the elements * of the international application, this report is based on <i>(replacement shee have been furnished to the receiving Office in response to an invitation under Article 14 are referred to report as "originally filed" and are not annexed to this report):</i>				
	Desc	cription, Pages		
	1-25		as originally filed	
	Clain	ns, Numbers		
	1-10		received on 27.12.2005 with letter of 14.12.2005	
		a sequence listing and/or an	y related table(s) - see Supplemental Box Relating to Sequence Listing	
3.	 [[[The amendments have result the description, pages the claims, Nos. the drawings, sheets/figs the sequence listing (spectrum) any table(s) related to sections.	ecify):	
4.	had i Supp [[[This report has been establing not been made, since they had been made, since they had been the properties of the description, pages the claims, Nos. ☐ the drawings, sheets/figs the sequence listing (specially any table(s) related to see	ecify):	
	*]	Tf item 4 applies. so	me or all of these sheets may be marked "superseded."	

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/US2005/008338

		k No. III – Non-establishment o Dicability	of op	nion with regard to novelty, inventive step and industrial	
1.	The obv	The questions whether the claimed invention appears to be novel, to involve an inventive step (to be non-obvious), or to be industrially applicable have not been examined in respect of:			
		the entire international applicat	ion,		
		claims Nos.			
		because:			
		the said international application, or the said claims Nos. relate to the following subject matter which does not require an international preliminary examination (specify):			
		the description, claims or drawings (indicate particular elements below) or said claims Nos. are so unclear that no meaningful opinion could be formed (specify):			
		the claims, or said claims Nos. are so inadequately supported by the description that no meaningful opinion could be formed.			
		no international search report has been established for the said claims Nos.			
		the nucleotide and/or amino acid sequence listing does not comply with the standard provided for in Annex C of the Administrative Instructions in that:			
		the written form		has not been furnished	
				does not comply with the standard	
		the computer readable form		has not been furnished	
				does not comply with the standard	
		the tables related to the nucleo not comply with the technical re	tide a equire	and/or amino acid sequence listing, if in computer readable form only, do ements provided for in Annex C-bis of the Administrative Instructions.	
	M	See separate sheet for further	detai		

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/US2005/008338

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

No: Claims

1-10

Inventive step (IS)

Yes: Claims

No: Claims

1-10

Industrial applicability (IA)

Yes: Claims

1-10

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

Box No. VII Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

see separate sheet

Box No. VIII Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

Cited documents:

- D1: WO 03/072270 A (BAF INDUSTRIES) 4 September 2003 (2003-09-04)
- D2: WO 02/052066 A (DENOVUS LLC) 4 July 2002 (2002-07-04)
- D3: WO 02/10278 A (ANSELL HEALTHCARE PRODUCTS INC; NILE, JEFFERY, G; GROMELSKI, STANLEY,) 7 February 2002 (2002-02-07)
- D4: US-B1-6 312 509 (MORADIAN EBRAHIM) 6 November 2001 (2001-11-06)
- D5: US 2004/024135 A1 (VERGE CHRISTOPHE ET AL) 5 February 2004 (2004-02-05)
- D6: GB-A-2 358 597 (MOBIL OIL COMPANY LIMITED) 1 August 2001 (2001-08-01)
- D7: WO 00/58410 A (BARTHLOTT, WILHELM; NEINHUIS, CHRISTOPH) 5 October 2000 (2000-10-05)
- D8: US-A-6 033 736 (PERLMAN ET AL) 7 March 2000 (2000-03-07)
- D9: US-A-5 977 227 (MCCREIGHT ET AL) 2 November 1999 (1999-11-02)
- D10: US-B1-6 348 528 (SCHLARB BERNHARD ET AL) 19 February 2002 (2002-02-19)

1. Novelty (Art. 33 (2) PCT)

Each of cited documents D1 to D10 discloses a method for coating a surface of a substrate comprising the steps of (a) applying an aqueous discontinuous emulsified material to a surface of a substrate and (b) drying or allowing to dry the said emulsified material as a surface coating on the substrate as specified in present independent main claim 1 (for relevant passages, see the corresponding International Search Report).

The attention of the applicant is drawn especially to the fact, that the term "discontinuous emulsified material" as specified in present independent main claim 1 in line 2, on the one hand, the terms "major amount" and "minor amount" of lines 3/4, and the term "drying or allowing to dry ..." in the third line, on the other hand, respectively, appear to be implicitly disclosed by each of said documents D1 to D10 in view of the principles of the established official rules of practice. Implicit (or inherent) disclosure corresponds to the fact, that the claimed product is regarded as being anticipated actually by said prior art documents, even if the claimed terms as specified in the said lines of present main claim 1 are not expressly mentioned therein, i.e., the terms are regarded as being actually present in the prior art embodiments, but simply not determined and/or mentioned expressly therein.

Consequently, each of said documents D1 to D10 anticipates the subject matter of present claim 1. The considerations of the applicant as pointed out in the letter dated 14.12.2005 failed to present a clear delimitation of the claimed subject matter over the prior art disclosure as regards any unambiguously identifyable technical features.

The same considerations also relate to the additional features of the following claims 2 to 10 when taking into account the full disclosure of each of said documents D1 to D10.

Therefore the subject matter of present application is not new in view of the disclosure of each of said documents D1 to D10.

2. Inventive Step (Art. 33 (3) PCT)

Providing an amended main claim which meets the requirements of Art. 33 (2) PCT, the applicant should relate the distinguishing feature to a surprising (unexpected) technical effect or make credible or plausible that the distinguishing feature is not derivable from the prior art teaching (Art. 33 (3) PCT).

3. Miscellaneous

The term "discontinuous emulsified material" as specified in present independent main claim 1 in line 2, on the one hand, the terms "major amount" and "minor amount" of lines 3/4, and the term "drying or allowing to dry ..." in the third line, on the other hand, respectively, appear to attempt a definition of the subject matter to be protected by means of the corresponding results to be achieved, rather than by means of clear and unambiguous technical features, such violating the Art. 6 PCT. Furthermore, the said objected terms do not represent clear and unambiguous technical features, but relative terms having no clear and unambiguous meaning among the average persons skilled in the art. The applicant therefore is invited to replace said objected terms by clear and unambiguous technical features based on suitable subclaims or relevant passages taken from the present description.

In order to improve the understanding and legibility of the application, in the European regional phase, if any, the applicant is invited to identify the documents D1 to D10 in the description additionally and briefly discuss the relevant background art disclosed therein.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/US2005/008338

When filing amendments, any undue extension of the scope of the application should be avoided.

30

5,000,000 cSt; and

CLMSPAMD

PCT/US2005/008338 3415-01-WO Revised Claims - Clean Format

1. A method for coating a surface of a substrate comprising the steps of:

(a) applying an aqueous discontinuous emulsified material to a surface of a substrate wherein the emulsified material comprises (a) a major amount of an aqueous phase,

(b) a minor amount of a non-aqueous phase and (c) a minor but effective amount of at least one emulsifier to emulsify the aqueous and non-aqueous phase resulting in an emulsified material and wherein the emulsified material has an aqueous phase content in the range of about 5% to about 99% by weight of the emulsified material and

wherein the emulsified material has a viscosity in the range of about 200 cSt to about

- (b) drying or allowing to dry the emulsified material as a surface coating on the substrate
 resulting in a surface coating applied as a thin film coating to a substrate which acts as a barrier, a strengthener for the surface, corrosion protection, evaporation protection, oxidation protection, water protection, adhesion protection, dissociation protection, degradation protection, wear protection or mixtures thereof.
 - 2. The method of claim 1 comprising the further step of (c) removing the surface coating from the substrate.
- 3. The method of claim 3 wherein the emulsified material comprises at least one component selected from the group consisting of water soluble additive(s), alcohol(s), organic soluble additive(s), propellant(s), thickener(s), corrosion inhibitor(s), grease, or mixtures thereof and wherein the emulsified material further comprises thickeners, non-aqueous thickeners, viscosity modifiers, water soluble additives, extreme pressure additives, antiwear additives, metal deactivators, dispersants, antifoams, water soluble organic compounds, biocides, alcohols, corrosion inhibitors, rust inhibitors,
- antioxidants, detergents, polymers, functionalized polymers, organic soluble additives, alcohols, propellants, an anticorrosion modifier in the non aqueous phase or mixtures thereof.
 - 4. The method of claim 1 wherein the emulsified material has an aqueous phase content in the range of about 60% to about 85% by weight of the emulsified material and wherein the dried surface coating has a thickness in the range of about 0.01 micron to about 50 microns.

10

15

20

25

30

- 5. The method of claim 3 wherein the emulsified material has a non-aqueous phase selected from the group consisting of organic materials, oils, greases, thickened oils, thickened grease, gels, thickened solvents, monomers, polymeric materials, solvents, waxes and mixtures thereof and in the range of about 1% to about 95% by weight of the emulsified material.
- 6. The method of claim 1 wherein the surface coating is selected from the group consisting of a translucent coating, opaque coating, transparent coating, permanent coating, semi permanent coating, temporary coating, removable coating and combinations thereof and wherein the substrate for the surface coating to be coated is selected from the group consisting of metal, wood, concrete, stone, asphalt, glass, plastic, composites, fabric, rubber, carbon steel, stainless steel, aluminum and mixtures thereof.
- 7. The method of claim 1 wherein the surface coating is applied by a method selected from the group consisting of spraying, dipping, spinning, vacuum depositing, reverse rolling, wire-wounding, direct and offset gravure, slot dieing, blading, hot melting, curtaining, knife over rolling, extruding, air knifing, rotary screening, multilayer sliding, painting, brushing, co extrusioning, meniscusing, micro gravure coating, atomizers and combinations thereof and wherein the coating is dried by a method selected from the group consisting of evaporation, dissipation, curing, heating and combinations thereof.
- 8. The method of claim 1 wherein the surface coating is applied by a method selected from the group consisting of an aerosol container and an application of airless atomization; fluid delivering air space system that is pressurized or suction fed; a pressure-feed system with air-assisted airless internal mixing atomization; a compressed air operating at about 35 to about 1050 kPa with the range of about 5 to about 150 psi adjacent to the airless nozzle and impinges upon the thin sheet of fluid as it exits from the spray nozzle orifice in the range of about .0005" to about 0.020" tips; and combinations thereof.
- 9. The method of claim 4 wherein the propellant(s) is selected from the group consisting of maybe liquefied, compressed gas and mixtures thereof.
- 10. The method of claim 1 wherein the emulsified material comprises a water emulsified into a non aqueous phase and wherein the non aqueous phase comprises

10

15

20

grease and an anticorrosion modifier and wherein the emulsifier is present in the range of about 0.1 to about 20% of the emulsified material and comprises,

- (i) a oil soluble product made by reacting at least one hydrocarbylsubstituted carboxylic acid acylating agent with ammonia or an amine including but not limited to alkanol amine, hydroxy amine, and the like, the hydrocarbyl substituent of said acylating agent having about 50 to about 500 carbon atoms;
- (ii) any other acylating agent having at least one hydrocarbyl substituent of up to about 40 carbon atoms, and reacting that said acylating agent with ammonia or an amine;
- (iii) any other ionic or a nonionic compound having a hydrophilic-lipophilic balance (HLB) of about 1 to about 40;
 - (iv) the reaction product of polyacidic polymer with at least one oil soluble product made by reacting at least one hydrocarbyl-substituted carboxylic acid acylating agent with ammonia, an amine, a polyamine, an alkanol amine or hydroxy amines;
- (v) an amino alkylphenol which is made by reacting an alkylphenol, an aldehyde and an amine resulting in an amino alkylphenol;
- (vi) a hydrocarbyl substituted carboxylic acid, or a reaction product of the hydrocarbyl substituted carboxylic acid or a reactive equivalent of such acid with an alcohol, the hydrocarbyl substituent of the acid or reactive equivalent thereof containing at least about 30 carbon atoms;

(vii) at least one compound represented by one or more of the formulae:

(ix-1)

OR
$$RO(R"CH-R'O)_{n}R""$$
(ix-2)

RCOO(R'O)_{n}R'

OR
$$RCOO(R'O)_{n}R'$$
(ix-3)

OR
$$RCOO(R"CH-R'O)_{n}R""$$
(ix-4)

RO(R"O)_nR'

35

25

30

10
$$O(R'O)_yR$$
 | $R(OR')_xOR"$ — CH — $R"O(R'O)_zR$ (ix-6)

wherein each R is independently hydrogen or a hydrocarbyl group of up to about 60 carbon atoms; each R' and R" is independently an alkylene group of 1 to about 20 carbon atoms; each R" is independently hydrogen, or an acyl or hydrocarbyl group of up to about 30 carbon atoms; n is a number in the range of zero to about 50; and x, y and z are independently numbers in the range of zero to about 50 with the total for x, y and z being at least 1;

(viii) an etheramine used to the make the emulsified material can be represented by the formula

$$R^2 O[CH_2CH(R)O]_n --R^1 --NH_2$$

wherein each n is a number from 0 to 50; each R is selected from the group consisting of hydrogen, hydrocarbyl groups of 1 to 16 carbon atoms, and mixtures thereof; each R.sup.1 is selected from the group consisting of a hydrocarbylene group containing 2 to 18 carbon atoms and a group represented by the formula

$$-R^6 N_p -R^7 -$$

wherein both R^6 and R^7 are hydrocarbylene groups of 3 to 10 carbon atoms and p is a number from 1 to 4; and each R^2 is a hydrocarbyl group having a valence of y where y is a number from 1 to 3, and containing 1 to 50 carbon atoms when y is 1 and 1 to 18 carbon atoms when y is 2 or 3; provided that when n is zero, y is 1;

(ix) a phospholipid, any lipid containing a phosphoric acid, such as lecithin or cephalin;

5 .

(x) An amine represented by the formula:

R-NH₂

where R = a poly(isobutenyl) group of molecular weight between 350 and 3000; or

(xi) the combination of any other above listed emulsifiers.

5